## Lenovo Monitor D32-40 31.5" WLED 60Hz 4ms Garanzia 3 anni

Marchio: Lenovo Codice prodotto: 66FCGAC2IT

Nome del prodotto : Monitor D32-40 31.5" WLED 60Hz

4ms Garanzia 3 anni

- 80.0cm (31.5") Full HD 1920 x 1080 VA
- 8ms, 16:9, 250cd/m<sup>2</sup>, 3000:1
- HDMI, DisplayPort

80.0cm (31.5") Full HD 1920 x 1080 VA, 16:9, 250cd/m², 16.7M, 8ms, 178°/178°, 3000:1 Lenovo Monitor D32-40 31.5" WLED 60Hz 4ms Garanzia 3 anni. Dimensioni diagonale schermo: 80 cm (31.5"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LCD, Tempo di risposta: 8 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Montaggio standard VESA. Colore del prodotto: Nero





Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Height adjustment *	×
Display resolution *	1920 x 1080 pixels	Pivot	×
HD type *	Full HD	Swivelling	×
Native aspect ratio *	16:9	Tilt adjustment	<b>✓</b>
Display technology *	LCD	Tilt angle range	-5 - 22°
Panel type *	VA	On Screen Display (OSD)	/
Backlight type	W-LED	Power	
Touchscreen *	X		
Display brightness (typical)	250 cd/m <sup>2</sup>	Energy efficiency class (SDR) *	E
Response time *	8 ms	Energy consumption (SDR) per 1000 hours *	27 kWh
Anti-glare screen	<b>√</b>	Power consumption (typical) *	26.5 W
Screen shape *	Flat	Power consumption (standby) *	0.5 W
Contrast ratio (typical) * Contrast ratio (dynamic)	3000:1 3000000:1	Power consumption (max)	46 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0.5 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Display number of colours *	16.7 million colours	Power supply type	Internal
Response time (fast)	4 ms	Energy efficiency scale	A to G
Pixel pitch	0.364 x 0.364 mm	European Product Registry for	1319656
Pixel density	92.5 ppi	Energy Labelling (EPREL) code	
Horizontal scan range	30 - 84 kHz	Operational conditions	
Vertical scan range	48 - 75 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	71 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	41.2 cm	Operating relative humidity (H-H)	8 - 80%
Colour depth	8 bit	Storage relative humidity (H-H)	5 - 95%
sRGB coverage (typical)	99%	Weight & dimensions	
Performance		Width (with stand)	714.1 mm
Flicker-free technology	✓	Depth (with stand)	225.2 mm
Multimedia		Height (with stand)	502.8 mm
Built-in speaker(s) *	×	Weight (with stand)	6.3 kg
Built-in microphone	×	Width (without stand)	714.1 mm
•		Depth (without stand) Height (without stand)	50.3 mm 426.2 mm
Built-in camera *	X	Weight (without stand)	5.4 kg
Design		Bezel width (side)	2 mm
Market positioning *	Home	Bezel width (top)	2 mm
		Dezer Matri (top)	E

Weight & dimensions Bezel width (bottom)  Packaging data  Package width Package depth Package height Package weight Warranty card  Packaging content  Stand included Cables included Screws included	2.4 cm  830 mm 151 mm 528 mm 8.9 kg  ✓
Packaging data Package width Package depth Package height Package weight Warranty card Packaging content Stand included Cables included	830 mm 151 mm 528 mm 8.9 kg  ✓
Package width Package depth Package height Package weight Warranty card  Packaging content  Stand included Cables included	151 mm 528 mm 8.9 kg  ✓ AC, HDMI
Package depth Package height Package weight Warranty card Packaging content Stand included Cables included	151 mm 528 mm 8.9 kg  ✓ AC, HDMI
Package height Package weight Warranty card  Packaging content Stand included Cables included	528 mm 8.9 kg
Package weight Warranty card  Packaging content Stand included Cables included	8.9 kg ✓ AC, HDMI
Warranty card  Packaging content  Stand included  Cables included	✓ AC, HDMI
Packaging content Stand included Cables included	✓ AC, HDMI
Stand included Cables included	AC, HDMI
Cables included	AC, HDMI
	·
Screws included	✓
Quick start guide	✓
HDMI cable length	1.8 m
Power cable length	1.8 m
Other features	
Volume control	×
Warranty period	3 year(s)
Compliance certificates	RoHS
Certification	TÜV Rheinland® Flicker Free TÜV
	Rheinland Eye Comfort Certification
	Power cable length  Other features  Volume control  Warranty period  Compliance certificates









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.