HP ENVY Stampante multifunzione 6520e

Marchio : HP **Famiglia del prodotto:** ENVY **Codice prodotto:** 714N9B

Nome del prodotto :
Stampante multifunzione HP
Envy 6520e

- wireless; HP+; idonea ad HP Instant Ink; stampa da smartphone o tablet; Scansione verso e-mail; alimentatore automatico di documenti; Stampa fronte/retro; touchscreen; Scansione verso HP Cloud; stampa fotografica con gamma gromatica P3; stampa di foto panoramiche formato 5x5 e 4x12; stampa fronte/retro per foto e cartoline formato 4x6; Stampa di foto senza bordi
- Stampa, copia, scansione, fax da dispositivi mobili
- Velocità di stampa fino a 10 ppm in bianco e nero e 7 ppm a colori
- Fino a 1200 x 1200 dpi rendering (stampando da computer)
Stampante multifunzione HP Envy 6520e

Printing

Duplex printing mode	Auto
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print technology *	Thermal inkjet
Printing *	Colour printing
Duplex printing *	✔
Maximum resolution *	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	10 ppm
Print speed (colour, normal quality, A4/US Letter)	7 ppm
Print speed (black, draft quality, A4/US Letter)	20 ppm
Print speed (colour, draft quality, A4/US Letter)	17 ppm
Print speed (ISO/IEC 24734) black	10 ppm
Print speed (ISO/IEC 24734) colour	7 ppm
Time to first page (black, normal)	19 s
Time to first page (colour, normal)	22 s
Borderless printing	✔

Copying

Duplex copying *	✘
Copying *	Colour copying
Maximum copy resolution *	300 x 300 DPI
Maximum number of copies	99 copies
Auto fit function	✔

Scanning

Duplex scanning *	✘
Scanning *	Colour scanning
Optical scanning resolution *	1200 x 1200 DPI
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scanner type *	Flatbed & ADF scanner
Scan technology	CIS
Image formats supported	JPG, PNG, TIF
Document formats supported	PDF
Input colour depth	24 bit

Network

Ethernet LAN *	✘
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Mobile printing technologies	Apple AirPrint, Mopria Print Service

Performance

Maximum internal memory	256 MB
Internal memory *	256 MB
Built-in processor	✔
Processor frequency	800 MHz

Design

Product colour *	Beige
Colour name	Portobello
Market positioning *	Home & office
Built-in display *	✔
Display diagonal	6.1 cm (2.4")
Control type	Touch
Colour display	✔

Power

Power consumption (ready)	4.25 W
Power consumption (sleep)	1.9 W
Power consumption (off)	0.175 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Instant Ink	✔
HP GTIN (EAN/UPC) with options	(629) 197029817624; (686) 197029817631; (687) 197029817648
HP GTIN (EAN/UPC)	197029817624, 197029817631, 197029817648

System requirements

Windows operating systems supported	Windows 11, Windows 10
Mac operating systems supported	Mac OS X 13.0 Ventura, Mac OS X 12.0 Monterey
Other operating systems supported	Linux

Scanning

Greyscale levels	256
Scan drivers	TWAIN

Fax

Auto reduction	✗

Features

Recommended duty cycle	100 - 400 pages per month
Maximum duty cycle *	1000 pages per month
Duplex functions *	Print
Digital sender	✔
Number of print cartridges *	2
Printing colours *	Black, Cyan, Magenta, Yellow
All-In-One-multitasking	✔
Country of origin	Thailand
Replacement cartridges	HP 308 Black Original Ink Cartridge (~160 pages yield) 7FP21UE; HP 308 Tri-Color Original Ink Cartridge 7FP20UE (~120 pages yield); HP 308e EvoMore Black Original Ink Cartridge (~320 pages yield) 7FP22UE
HP segment	Home

Input & output capacity

Total number of input trays *	1
Total input capacity *	100 sheets
Total output capacity *	25 sheets
Auto document feeder (ADF)	✔
Auto document feeder (ADF) input capacity	35 sheets
Maximum number of input trays	1
Maximum input capacity	100 sheets
Maximum output capacity	25 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C6
Envelopes sizes	DL
Photo paper sizes	10x15 cm
Custom media width	76.2 - 216 mm
Custom media length	127 - 304.8 mm

Ports & interfaces

Direct printing *	✗
USB port	✔
USB 2.0 ports quantity	1

Network

Wi-Fi *	✔

Operational conditions

Recommended humidity operating range	25 - 75%
Operating temperature (T-T)	5 - 40 °C
Non-operating relative humidity (non-condensing)	5 - 90%
Operating altitude	0 - 3048 m
Non-operating altitude	0 - 4572 m

Certificates

Certification	CISPR 32:2012 / EN 55032:2012 Class B CISPR 32:2015 / EN 55032:2015 Class B CISPR 24:2010 / EN 55024:2010 CISPR 35:2016 / EN 55035:2017 FCC CFR 47 Part 15 Class B ICES-003, Issue 6 VCCI-CISPR 32:2016 EN 301 489-1 V2.1.1:2017 EN 301 489-17 V3.1.1:2017

Sustainability

Sustainability compliance	✔
Sustainability certificates	Post-Consumer Recycled Plastic

Weight & dimensions

Width	433 mm
Depth	361 mm
Height	171 mm
Weight	6.14 kg

Packaging data

Package width	473 mm
Package depth	222 mm
Package height	409 mm
Package weight	8.33 kg

Packaging content

Cartridge(s) included	✔
Included cartridge capacity (black)	120 pages
Included cartridge capacity (CMY)	75 pages
Cables included	AC
Bundled software	HP Printer Software

Logistics data

Pallet gross weight	493 g
Layers per pallet	6 pc(s)
Products per pallet	60 pc(s)

Technical details

Master (outer) cases per pallet layer	10 pc(s)

Other features

Number of users	3 user(s)
Pallet dimensions (W x D x H)	950 x 1080 x 2479 mm
Recommended system requirements	Microsoft Windows 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft Internet Explorer or Edge.
PictBridge	✗
Pallet dimensions (W x D x H) (imperial)	950 x 1080 x 2479 mm (37.4 x 42.5 x 97.6")
Pallet weight (imperial)	492.1 kg (1085 lbs)
Number of print heads	2

0197029817631

197029817631

0197029817624

197029817624

0197029817648

197029817648