## Keenetic KN-2311 router wireless Gigabit Ethernet Dual-band (2.4 GHz/5 GHz) 4G Grigio, Bianco

Marchio: Keenetic Codice prodotto: KN-2311-01-EU

Nome del prodotto: KN-2311

AX1800, 574 Mbps (802.11ax) , 1201 Mbps (802.11ax),256 MB DDR3, 128 MB, 214 mm x 154 mm x 33 mm , 485 g

Keenetic KN-2311. Banda Wi-Fi: Dual-band (2.4 GHz/5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), Intervallo di trasferimento dei dati WLAN (max): 1800 Mbit/s. Tipo di interfaccia LAN Ethernet: Gigabit Ethernet, Standard di rete: IEEE 802.1Q, Supporto VPN: OpenVPN (client/server), IPsec VPN (client/server). Generazione di reti mobili: 4G, Standard 3G: HSDPA, HSPA+, HSUPA, WCDMA, Standard 4G: LTE-TDD & LTE-FDD. Algoritmi di sicurezza supportati: HTTPS, IPSec, WEP, WPA-PSK, WPA-PSK2, WPA2-Enterprise, WPA3-Enterprise. Protocolli di rete supportati: IPoE, PPPoE, PPTP, L2TP, 802.1x





WAN connection		Security	
Ethernet WAN *	✓	MAC address filtering	✓
SIM card slot *	✓	Network address translation (NAT)	✓
3G/4G USB modem compatibility *	✓	Protocols	
Wireless LAN features		DHCP client	✓
Wi-Fi band * Top Wi-Fi standard * WLAN data transfer rate (max) *	Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) 1800 Mbit/s	DHCP server Universal Plug and Play (UPnP) Supported network protocols	✓ ✓ IPOE, PPPOE, PPTP, L2TP, 802.1x
WLAN data transfer rate (first band) WLAN data transfer rate (second	•	Design	
band) Modulation	1201 Mbit/s OFDMA	Product colour Product type *	Grey, White Tabletop router
Network		Packaging content	
Ethernet LAN * Ethernet LAN interface type * Networking standards	✓ Gigabit Ethernet IEEE 802.1Q	Cables included AC adapter included Quick start guide	LAN (RJ-45) ✓
Port forwarding	✓	Antenna	
Dynamic DNS (DDNS) Policy-based routing SSID-based VLAN assignment	* * *	Antenna design * Antenna gain level (max) Antennas quantity	External 4 dBi 4
VPN support	OpenVPN (client/server), IPsec VPN (client/server)	Features	
3G standards 4G standard 4G bands supported  Ports & interfaces	4G HSDPA, HSPA+, HSUPA, WCDMA LTE-TDD & LTE-FDD 800,850,900,1800,2100,2300,2500,2600 MHz	Built-in processor Processor manufacturer Processor frequency Processor cores Internal memory Internal memory type Flash memory	MediaTek 880 MHz 2 256 MB DDR3 128 MB
Ethernet LAN (RJ-45) ports *	4	Power	
USB port *	✓	Power source type *	AC

Management features		Power	
Wi-Fi Multimedia (WMM)/(WME) Bandwidth control Quality of Service (QoS) support Reset button	* * * * *	AC input voltage AC input frequency Output voltage Output current Operational conditions	100 - 240 V 50/60 Hz 12 V 2 A
MU-MIMO technology MIMO	<b>*</b>	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 20 - 95%
Security Security algorithms	HTTPS, IPSec, WEP, WPA-PSK, WPA-PSK2, WPA2-Enterprise, WPA3-Enterprise	System requirements  Mobile operating systems supported Android, iOS  Weight & dimensions	
Guest access Stateful Packet Inspection (SPI) DoS attack prevention Parental control	acket Inspection (SPI)   k prevention	Width Depth Height Weight	214 mm 154 mm 33 mm 485 g
		Packaging data  Number of products included	1 pc(s)

